

Ref. No: FOI2107
Date: 13/10/2025
Subject: Use of the Perinatal Mortality Review Tool

REQUEST & RESPONSE

1. How many late miscarriages, stillbirths and neonatal deaths were identified as meeting the criteria for a PMRT review?

13 cases

2. Of these, the percentage of cases that resulted in a report being produced (i.e. where the review was completed, closed, and a final report generated)?

13 cases 100%

3. In what percentage of PMRT reviews was a clinician external to the trust part of the reviewing team?

10 cases 76.9%

4. In what percentage of PMRT reviews (including cases which were identified as meeting the criteria but not completed), were the parents invited to provide comments about care?

13 cases 100%

5. For completed reports, the number of cases graded as follows (using the standard PMRT definitions):

Stillbirths & Late Fetal Losses:

Grading of care of the mother and baby up to the point that the baby was confirmed as having died:	
A. No issues with care identified	<5
B. Care issues identified that would have made no difference to the outcome	7
C. Care issues identified which may have made a difference to the outcome	<5
D. Care issues identified which were likely to have made a difference to the outcome	0
	0

Grading of care of the mother following confirmation of the death of her baby:

A. No issues with care identified	<5
B. Care issues identified that would have made no difference to the outcome	6
C. Care issues identified which may have made a difference to the outcome	0
D. Care issues identified which were likely to have made a difference to the outcome	<5

Neonatal Deaths:**Grading of care of the mother and baby up to the point of the birth of the baby:**

A. No issues with care identified	0
B. Care issues identified that would have made no difference to the outcome	<5
C. Care issues identified which may have made a difference to the outcome	<5
D. Care issues identified which were likely to have made a difference to the outcome	0

Grading of care of the baby from birth up to the death of her baby:

A. No issues with care identified	<5
B. Care issues identified that would have made no difference to the outcome	<5
C. Care issues identified which may have made a difference to the outcome	0
D. Care issues identified which were likely to have made a difference to the outcome	0

Grading of care of the mother following the death of her baby:

A. No issues with care identified	<5
B. Care issues identified that would have made no difference to the outcome	<5
C. Care issues identified which may have made a difference to the outcome	<5
D. Care issues identified which were likely to have made a difference to the outcome	0

